Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7643	(DELIMA ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:11
S2	0	(DELIMA adj ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S3	13	(HUYNH adj LAP "T.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S4	13	(HUYNH adj LAP).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:13
S5		(JOSEPH adj DINAKARAN "B.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:14
S6	0	(MAJIKES adj JOHN "J.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:15
S7	799	(MOORE adj ROBERT "E.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S8	228281	(RAFALOW, LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S9	10	(RAFALOW adj LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:23
S10	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:17
S11	0	("hash\$3near5(functionorvalueortab leordataorinformation)").PN.	USPAT; EPO; JPO; DERWENT	ÖR	OFF	2005/01/25 12:27
S12	8982	hash\$3 near5 (function or value or table or data or information)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:27
S13	3129	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:30



S14	2883	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (first same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON .	2005/01/25 12:31
S15	2918	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:32
S16	2854	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table)) and ((second or another or new) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:33
S17	2581	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ((first or initial) with (value or data or information or table)) and ((second or another or new) with (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON.	2005/01/25 12:34
S18	2075	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:35
S19	703	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:39

						
. S20	49	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:41
S21	48	(hash\$3 near5 (function or value or	USPAT;	OR	ON	2005/01/25 12:43
		table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or	EPO; JPO; DERWENT			
10 m		send\$3 or retriv\$3 or creat\$3) with			as in the second	
		request\$3) and (((first or initial) with (value or data or information				,
- 55		or table)) same((second or another				
		or new) with (value or data or information or table)) same				
		(compar\$3 or match\$3 or correspond\$3 or equal\$3 or	2 (1) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4			
		parallel\$3) and (qos or (quality				
		near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3)				
S22	27	(hash\$3 near5 (function or value or	USPAT;	OR	ON	2005/01/25 12:44
		table or data or information) and (EPO; JPO;			
		(receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with	DERWENT			
		request\$3) and (((first or initial)				
		with (value or data or information or table)) same((second or another				
		or new) with (value or data or				
		information or table)) same (compar\$3 or match\$3 or				
		correspond\$3 or equal\$3 or				
		parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or				.
		polic\$3 or classif\$7 or rul\$3) and				
		"bus"				

S23 24	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:45
S24 24	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and \$10	USPAT; EPO; JPO; DERWENT USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:46

	,					
S26	0	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and cookie	USPAT; EPO; JPO; DERWENT	OR .	ON	2005/01/25 12:50
S27	24	((hash\$3 near5 (function or value	USPAT;	OR	ON	2005/01/25 12:51
		or table or data or information) and (receiv\$3 or obtain\$3 or get\$4 or	EPO; JPO; DERWENT			
		send\$3 or retriv\$3 or creat\$3) with			• . :	
		request\$3) and (((first or initial) with (value or data or information	- 	. '	:	language de la companya de la compa
		or table)) same((second or another				
		or new) with (value or data or information or table)) same				
		(compar\$3 or match\$3 or				
		correspond\$3 or equal\$3 or parallel\$3) and (gos or (quality				*
		near6 service)))) and (config\$7 or				
		polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing	er e			
		with unit) and (code or instruction				
		or program))				
S28	3	((hash\$3 near5 (function or value or table or data or information) and	USPAT; EPO; JPO;	OR	ON	2005/01/25 12:51
		((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with	DERWENT			
		request\$3) and (((first or initial) with (value or data or information				
		or table)) same((second or another				
		or new) with (value or data or information or table)) same				
		(compar\$3 or match\$3 or				
		correspond\$3 or equal\$3 or parallel\$3) and (gos or (quality				
		near6 service)))) and (config\$7 or				
		polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing				
		with unit) and (code or instruction				
		or program)) and (hypertext)				

		,				
S29	0	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and (hypertext)and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51
S30	13	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server ((hash\$3 near5 (function or value or table or data or information) and (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with	USPAT; EPO; JPO; DERWENT USPAT; EPO; JPO; DERWENT	OR OR	ON	2005/01/27 12:02
		request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server and \$10				

S32	13	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:04
S33	3	(((hash\$3 near5 (function or value or table or data or information) and	USPAT; EPO; JPO;	OR	ON	2005/01/27 12:07
•		((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with	DERWENT		, É	
		request\$3) and (((first or initial)		\$ 1.00 miles		
		with (value or data or information or table)) same((second or another				
		or new) with (value or data or information or table)) same				
		(compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality				
		near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and			a a	
		"bus" and memory and (processing with unit) and (code or instruction	<i>‡</i>		*	
		or program)) and server) and @pd<"20010712"				
S35	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:18
S36	0	("receiv\$3near5request\$3").PN.	USPAT;	OR	OFF	2005/01/27 12:18
.*.			EPO; JPO; DERWENT	;		
S37 .	99695	receiv\$3 near5 request\$3	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:19
S38	54	(receiv\$3 near5 request\$3)and (respon\$5 with (first or initial or one)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:21
S39	11	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:23

S40	1	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) same (respon\$5 with (second or another or new)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:27
541	13	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S42	4	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new)with hash) and header	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S43	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
		near5 request\$3) and (respon\$5 with (second or another or new)with hash) and (header same				
		cookie)	2.0	g		
S44	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S45	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S46	1	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header and cookie)	USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/01/27 12:31
S47	0	(receiv\$3 near5 request\$3) and (respon\$5 with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S48	155	(header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S49	99743	(header same cookie) (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S50	107	(header same cookie)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:39

S51	0	(header same cookie same hash)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:33
S52	4	(header same cookie)and (receiv\$3 near5 request\$3 same hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:35
S53	0	(header same cookie)and (receiv\$3 near5 request\$3 same hash) and ((quality adj of adj service) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:34
S54	. 21	(header same cookie)and (receiv\$3 near5 request\$3) and hash	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S55	13	(header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:40
S56	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:43
S57	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http)) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34
S58	3	(header same cookie)and (receiv\$3 near5 request\$3) and hash and (quality with service) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S59	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http)) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34